



CARNEGIE HILL  
RADIOLOGY

Patient Name: \_\_\_\_\_ Phone: \_\_\_\_\_

Exam Requested: \_\_\_\_\_

170 E. 77<sup>th</sup> Street  
New York, NY 10075

Clinical Information: \_\_\_\_\_

Phone: (212) 369-9200  
FAX: (212) 369-5048  
www.mrict.com

Referring Physician: \_\_\_\_\_ Phone: \_\_\_\_\_ FAX: \_\_\_\_\_

Report Instructions:  Send Report (routine)  Send CD  Send Films  Give Patient CD

**MRI (3T Wide Bore)**

**CT (160 Slice)**

Without Contrast  With Contrast  Contrast as Clinically Indicated

NEURO

- Brain MRI  3D Volumetric
- Brain MRA  Brain MRV
- Pituitary Dynamic
- Orbits  IAC / CP Angle
- TMJs
- Neck MRA  Soft Tissue Neck
- C-Spine  T-Spine
- L-Spine  Sacrum / Coccyx
- Sacroiliac Joints
- Brachial Plexus
- Total Spine (Metastatic Survey)

MUSCULOSKELETAL

- Shoulder  Left  Right
  - Elbow  Left  Right
  - Wrist  Left  Right
  - Hand  Left  Right
  - Hip  Left  Right
  - Knee  Left  Right
  - Ankle  Left  Right
  - Foot  Left  Right
  - Non-Joint  Left  Right
- Specify: \_\_\_\_\_

BODY

- Chest  Abdomen
- Pelvis  MRCP
- Breast with CAD (Bilateral)
- MR Enterography (Abd/Pelvis)
- MR Urogram

VASCULAR

- Neck MRA
- Thoracic Aorta MRA
- Abdominal MRA
- Lower Extremity MRA }  Run Off
- Other MRA: \_\_\_\_\_
- MRV - Specify: \_\_\_\_\_

CARDIAC\*

- Structure / Function / Flow \*
  - Stress Perfusion: Adenosine
  - Myocardial Viability / Infiltration
  - Advanced Cardiac Imaging for:
    - Coronary Origins
    - Thrombus:  LV  LA
    - Aortic Valve Planimetry
    - PFO  Myocardial Iron
- \* Flow Quantification will be performed as clinically indicated

- Contrast: Intravenous Iodinated
- Contrast: Oral

- Brain  Sinuses
- Orbits  Temporal Bones
- Neck Soft Tissues
- Chest  Abdomen
- Liver/Pancreas protocol
- Pelvis
- CT Enterography (Abd/Pelvis)
- CT Virtual Colonoscopy
- Hematuria / Urogram
- Renal Mass
- Renal Stone (No contrast)
- C-Spine  T-Spine  L-Spine

CT ANGIOGRAPHY

- Chest CTA for:
  - Pulmonary Arteries
  - Thoracic Aorta
- Cardiac CTA for:
  - Coronary Arteries
  - Ejection Fraction
  - Pulmonary Veins
  - Left Atrium
  - Other: \_\_\_\_\_
- Coronary Calcium Score
- Abdomen CTA
- Pelvis CTA
- Lower Extremity CTA }  Run Off

**Ultrasound**

- Carotid Doppler
- Thyroid
- Soft Tissue Neck
- Abdomen
- Abdomen Single Organ (RUQ)
- Aorta Screening
- Hepatic Vessels
- Renal
- Bladder

- Hysterosonogram
- Pelvic: Transabdominal
- Pelvic: Transvaginal
- Testicular / Scrotal
- Venous Doppler: Arm
  - Left  Right
- Venous Doppler: Leg
  - Left  Right

- Musculoskeletal
  - Left  Right
- Body Part: \_\_\_\_\_
- Other: \_\_\_\_\_

**See Reverse Side for Patient Preparation Information and Directions to our Facility**

## MRI/MRA Instructions

This examination cannot be performed if you have a cardiac pacemaker or defibrillator.

If you have a cerebral aneurysm clip, hearing implants, or other metal in your body, please let us know because it may be unsafe for you to have this study.

If you have ever sought medical treatment for a metal fragment in your eye, please let us know, because you may need an x-ray to ensure it is safe for you to have this study.

If you are or may be pregnant, please let us know.

**IMPORTANT: Take all your usual medications unless instructed otherwise by your physician.**

### Adenosine Perfusion Cardiac MRI:

*This examination cannot be performed if you have asthma. If you suspect you might have asthma, please let us know.*

You may not consume products containing caffeine or theophylline for 24 hours before the test. For example, you should not drink coffee (including decaffeinated coffee), tea, or soft-drinks. You should not eat chocolate. And, you should not take over-the-counter drugs that contain caffeine such as Anacin. Certain drugs may interfere with this test. If you are taking any of the following drugs, please let us know:

- |                 |             |                |                  |            |               |
|-----------------|-------------|----------------|------------------|------------|---------------|
| ● Dipyridamole  | ● Primatene | ● Slo-Phylline | ● Theoclear      | ● Theo-Sav | ● Fioricet    |
| ● Aerolate      | ● Quibron   | ● T-PHYL       | ● Theo-Dur       | ● Theostat | ● Fiorinal    |
| ● Constant-T    | ● Respbid   | ● Tedral SA    | ● Theolair       | ● TheoX    | ● Norgesic    |
| ● Elixophylline | ● Slo-bid   | ● Theo-24      | ● Theo-Organidin | ● Cafergot | ● Synalgos-DC |
|                 |             |                |                  | ● Esgic    | ● Wigrain     |

## CT/CTA Instructions

**No food four hours prior to the exam** (except for Cardiac Calcium Score or CT of the Spine, Bone, or Joint).

**IMPORTANT: Take all your usual medications unless instructed otherwise by your physician.**

If you have a history of an allergy to iodinated contrast, asthma, or a strong allergic history, please notify the office when scheduling your exam. Premedication may be necessary depending on the clinical history.

CT uses x-rays. *If you are or might be pregnant, please inform the staff because this test may be inappropriate for you and your unborn child.*

**Virtual Colonoscopy:** Call for special instructions.

## Ultrasound Instructions

**Pelvic:** Drink one quart of water prior to the exam and do not urinate. Your bladder must be full for the sonogram.

**Abdominal / Aortic / Renal:** Clear liquid diet 4 hours prior to the exam. No milk products or carbonated beverages.

**Gallbladder:** Clear liquid diet 12 hours prior to the exam. No milk products or carbonated beverages.


**Carnegie Hill Radiology**  
170 E. 77<sup>th</sup> Street, New York, NY 10075  
(212) 369-9200

Directions:

#6 Train: Half a block east of the 77<sup>th</sup> St. stop.

M79: Two blocks south of the 3<sup>rd</sup> Avenue or Lexington Avenue stops.

Parking lots are directly across the street and next door.



***If you have questions about these instructions, please call us before your appointment.***